



COLLECTION

2025



AIMONT  
STYLE & STORY

EN EDITION



# AIMONT,

First and foremost, Aimont is a family story. This story starts in Italy, in the region of Piedmont, in Soriso by Lake Orta to be precise.

A small company was founded here in 1950 that manufactured shoes for major sports brands. It was called ALMAR – AL for Alfonso and MAR for Maria – the two founders. Maria UZZENI handled manufacturing while Alfonso, her husband, sold the products.

Alfonso and Maria had a son called Pier Franco Uzzeni. Little Franco spent all his childhood surrounded by the clicking of “La Blake” as he used to call it, a sewing machine specialised in making shoes. La Black woke him up every morning telling him it was time to get ready for school, but little Franco stayed in bed a few minutes longer to count the time with his fingers that it took La Black to sew a shoe. As the years went by to the sound of La Black, he learned how many shoes could be made a minute and to tell if productivity was up to scratch. One thing was certain: he would continue the work of his parents and grandparents!



In 1987, Franco decided to breathe a new lease of life into ALMAR:

he decided to give the shoes he was making another dimension by focusing on risk prevention. In 1988, he created his own brand of safety shoes which he called AIMONT, which means “to the mountains”, a nod to ALMAR which means “to the sea”, symbolising the complementary nature between the 2 types of shoes he made.



# A family business





Franco “**thought big**”: making and selling shoes was in his DNA. From his grandfather on his mother’s side, he had inherited his expertise in production and materials. While from his grandfather on his father’s side who spent part of his life in France, he had kept his innate sense of marketing.


Franco’s bet paid off: the demand was there, as more and more workers were wearing safety shoes on building sites! To handle the increase in volume, he built his own factory in Bizerte, in Tunisia, where he used to spend his holidays as a child.




*When Papi Sulà, as he still affectionately calls him today, moved to Pontarlier, a very rainy town, people wanted waterproof shoes whatever the price. To show them that the shoes he made could withstand moisture, he put a basin full of water with one of his shoes inside in his shop window. He then used to slide a match along it and asked his customers to take the match and light it. Each time the customers*

## Pensa in grande

BIOGRAPHICAL  
FILM



*did the test, the match would light, which proved that the shoe could withstand moisture!*






---

We are **proudly** and **enthusiastically** getting back onto the path where we left it



*While staying true to our hallmark values of many years, we are creating a new future for a brand that has shaped the history of safety shoes.*

*Our mission is to make Aimont a stylish brand deeply rooted in its history, while ensuring that anyone who wears it stays safe and looks original.*

*Franco Uzzeni*

FRANCO UZZENI  
PRESIDENT

---





# AS A SPORTS AND MOTOR RACING FAN,

Franco wanted his shoes to protect and benefit from the best technologies for workers without, however, sacrificing the design that is an integral part of the DNA of an Italian brand. So he created the first “**safety trainer**” and found the perfect balance between looking good and safety!

By “thinking BIG”, Franco Uzzeni managed to make Aimont a must-have safety shoe brand deeply rooted in its history with style and originality!

Franco Uzzeni Subaru, Monza Rally Show, 1998





1.		9.	
—		—	
<b>VIGOREX</b>	12	<b>DOMINUS</b>	40
2.		10.	
—		—	
<b>FLIGHT</b>	16	<b>SUPREME</b>	42
3.		11.	
—		—	
<b>RETURN</b>	18	<b>GRIPPER WHITE</b>	46
4.		12.	
—		—	
<b>FACTORY</b>	22	<b>DYNAMIC</b>	48
5.		13.	
—		—	
<b>DIAMONT</b>	26	<b>ESSENTIAL</b>	50
6.			
—			
<b>24 BIT</b>	30		
7.			
—			
<b>TRAIL</b>	34		
8.			
—			
<b>SPECIALS</b>	38		





CONTINUIT

# OUR TECHNOLOGIES

## UPPER

### DURABREATH

Lightweight high tenacity fabric, abrasion and stress resistant, ensures maximum breathability even in extreme situations.

### MESH ULTRA

Fabric with a honeycomb structure superimposed designed to give maximum breathability. Combined with Memory footbed it enables an enhanced air circulation inside the footwear keeping the foot fresh and dry.

### Air- Texplus

New fabric made of lightweight and extremely breathable synthetic fiber that helps keeping a balanced microclimate also in warm conditions granting at the same time an excellent abrasion resistance.

### Fresh

Multilayer fabric highly breathable and resistant to abrasion and tears.

### STARK®

Extremely abrasion-resistant material, used to prevent premature shoe wear in areas most exposed to friction.

### WAT-OUT

Breathable and non-allergenic microfiber, finished with a gel coating enabling a specific stain and wash resistance.



PU TEK® PLUS TECHNOLOGY uses new threads that are highly resistant to abrasion, directly woven into the fabric, for greater durability and increased performance. These highly resistant and water-repellent fabrics help create ultra-lightweight and extra-breathable S3 products.

## LINING

### OVERDRY

Lining featuring a new technical fiber abrasion resistant, highly breathable, smooth and soft to hand touch, granting a balanced micro climate inside the footwear also in extreme conditions.

### 3D Lining

3D multilayer lining with honey comb structure acting as air flow channel all around the foot enabling high breathability and allowing for the transportation of the humidity outside the footwear.

### Airnet®

Airnet is a fabric lining of air-tunnel construction to ensure high level of breathability. Resistant to abrasion, traction, laceration and washing.

### 3M Thinsulate™ INSULATION

Thermo insulating fiber giving the perfect thermal balance. Fresh in summer and warm in winter.

## TOE CAP

### ALU<sup>LITE</sup>

Aluminium toecap, lightweight, amagnetic, 200J resistant. It's 50% lighter compared to the classic steel toecap, whilst giving the same level of protection.

### Light PLUS

Polymer based toecap, amagnetic, extremely lightweight, thermal insulating, 200J resistant.

### G CLASSIC STEEL

Classic steel toecap, 200J resistant.

## FOOTBED

### SOFT+GEL

Anatomical, anti-static with shock-absorbers on the heels, it wicks away perspiration thanks to the ventilation holes.

### SOFT

The footbed is made from BASF Elastopan memory foam which moulds to the shape of the foot thanks to its heat-sensitive viscoelastic properties, improving weight distribution and cushioning pressure points that could cause discomfort. Its ergonomic shape also helps improve support for the foot arch and shock absorption.

### Maxi SOFT DUO

Footbed composed of a BASF® PU Dynamic soft cushioning layer with thermosensitive shape memory and a BASF® Elastopan maxi size insert, improves weight distribution by reducing pressure points and helps absorb and relieve body stress during prolonged standing and walking. Anatomically designed, perforated and equipped with Link ESDTM, an innovative, seamless, multi-contact static dissipative system.

### PLUS VENTO

Anatomic and antistatic footbed giving a stable support. Antimicrobial and anti-fungal.

## MIDSOLE

### FLEXsystem<sup>®</sup> ZERO

Multi-layer composite insole, flexible, lightweight, non-magnetic, athermic, anti-corrosion and anti-allergic. It protects 100% of the foot's support surface; tested to the new EN ISO22568-4:2021 standard.

### CLASSIC PLATE

Steel perforation midsole resistant to 1100 Newton.

## SOLE

### VIGOREX

A technological innovation from the running world now available for safety shoes. And because we are better when we feel good, trust VIGOREX to exceed your limits.

### RETURN

A line of work shoes designed with High Rebound technology, which guarantees over 40% energy return during the support phase and foot thrust.

### 98GRIP

A special polyurethane compound and the cross-channel structure of the outsole guarantee excellent grip on all types of surface, with outstanding results in slip-resistance tests.

### TRAIL

All-terrain Trail sole in dual-density polyurethane, featuring a deep tread pattern for maximum grip even in the most difficult situations.

### SPECIALS

Vibram<sup>®</sup> Specials sole, developed and tested by Aimont and Vibram<sup>®</sup> and made from high-performance rubber to get the best grip coefficient, optimum resistance to wear and tear and a modern design. Designed to tackle the harshest environments, often in extreme weather conditions to always guarantee the best slip resistance. The Vibram<sup>®</sup> Specials sole withstands hot contact up to 300°C.

### DIAMONT

A range of attractive, effective products, adapted thanks to a combination of technologies such as polymer tips, M.G.T Plus insoles and BASF polyurethanes.

### SUPREME


Dual-density polyurethane sole with a contact patch designed for maximum stability in both demanding and outdoor environments, and maximum grip and comfort.



Gripper White outsole in dual-density polyurethane, highly slip-resistant, oil-, hydrocarbon- and antistatic-resistant, with cross-channels for fluid drainage.

### ESSENTIAL

Classic sole in dual-density polyurethane, ergonomically designed for greater resistance to slipping and abrasion.



# TECHNOLOGY

Aimont strives to improve the well-being of workers with new technologies and solutions, dictated by more and more demanding restrictions. Aimont and BASF have combined their knowledge to offer you a new sole, the result of the latest collaboration of research and development, using a new high-performance material: BASF's expanded thermoplastic polyurethane:

## **E-TPU: Expanded Thermoplastic PolyUréthane**


Which is marketed under the name **Infinergy®**.

Elastic like rubber but lighter, this innovative expanded TPU (E -TPU) combines, thanks to its closed cell technology, TPU properties with the benefits of foam:

- Low density (about 0,25)
- High elasticity
- Lightness and softness
- High resistance to abrasion
- High resistance to traction
- Good chemical resistance
- Very good long-term durability in a wide range of operating temperatures
- An exceptional resilience (that has an extraordinary ability to return energy).

One of the most important characteristics of **Infinergy®** is the excellent elastic memory, thanks to its closed cells structure and to the original molecular architecture of the polymer.

The "rebound test" for elastic resistance, a test method determined by DIN 53512, proved that the **E-TPU** rebound coefficient is more than **55%**, much higher than all other polymers available on the market.



## **From running shoe to safety shoe, it's just one step!**

Already used with success in running shoes, this innovative material improved athletic performances, reducing fatigue.

**What if it was the same for the safety shoes users?**

For everyone who is exposed to arduous work situations:

- Up and down stairs repeatedly
- Walking long distances
- Standing for long periods
- Trampling

## Trust **VIGOREX** to overcome your limits and improve your performance!


Aimont creates the innovative sole **VIGOREX**:

- As a result of a **unique technology**
- Based on **the world of sport**
- Greatly **reduces fatigue**
- Which deal with **work stress**


The return of expended energy to the wearer is the result of the flexibility and the dynamic elasticity of the **VIGOREX** sole.

AND IT WILL BRING YOU WELL DESEVED BENEFITS:

- Decrease of the **effort**
- **MSD risks** reduction
- Improved **blood flow**
- Sensation of **indisputable well-being**



**Shock-absorbing  
BUT WITH  
return of energy!**



\* Patented technology



# 1. VIGOREX

A technological innovation from the world of running now available for the safety shoe. Trust VIGOREX to overcome your limits and improve your performance!



1. Over 55% energy return for a guaranteed anti-fatigue effect
2. Technology from the world of sport
3. Prevents the risk of MSDs in the legs



## BLAZE ESD S3S CI FO SR

- UPPER** PUTEK® PLUS
- TOE-CAP** Alu-Lite 200 J lightweight aluminium
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 38 to 48



CODE :  
**IAIA120**



## ULTRA ESD S3S CI FO SR

- UPPER** PUTEK® PLUS
- TOE-CAP** Alu-Lite 200 J lightweight aluminium
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 35 to 48



CODE :  
**IAIA220**



## COBALT ESD S3S CI FO SR

- UPPER** Water-repellent and flexible nubuck leather
- TOE-CAP** Alu-Lite 200 J lightweight aluminium
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 35 to 48



CODE :  
**IAIA101**



## HYDROGEN ESD S3S CI FO SR

- UPPER** Water-repellent and flexible nubuck leather
- TOE-CAP** Alu-Lite 200 J lightweight aluminium
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 35 to 48



CODE :  
**IAIA201**



## TEUTON ESD S3S CI FO SR

- UPPER** Water-repellent full-grain leather
- TOE-CAP** Alu-Lite 200 J lightweight aluminium
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 35 to 48



CODE :  
**IAIA209**



**PUTEK® PLUS TECHNOLOGY** uses new threads that are highly resistant to abrasion, directly woven into the fabric, for greater durability and increased performance.

These highly resistant and water-repellent fabrics help create ultra-lightweight and extra-breathable S3 products.

\*Tests according to standard EN ISO 20344:2011 show that the breathability is 4 times the minimum required for a safety shoe

## ARGON ESD S1PS FO SR

<b>UPPER</b>	Velour leather and anti-abrasion breathable fabric
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 38 to 48



CODE :  
**IAIA202**

## OXYGEN ESD S1PS FO SR

<b>UPPER</b>	Velour leather and anti-abrasion breathable fabric
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 35 to 48



CODE :  
**IAIA203**

## VULCAN ESD S1PS FO SR

<b>UPPER</b>	Suede leather and Airnet fabric
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 35 to 48



CODE :  
**IAIA218**

## IRIDIUM ESD S1P CI SRC ●

<b>UPPER</b>	Perforated velour leather
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 35 to 48



CODE :  
**IAIA206**  
● Discontinued item

## AMY ESD S1PS FO SR

<b>UPPER</b>	Denim finish fabric
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	VIGOREX PU/PU with Infinergy® insert from BASF®

**SIZE** from 35 to 42



CODE :  
**IAIA214**



## ZINC ESD S3S SC CI LG FO SR

- UPPER** Water-repellent pull-up leather
- TOE-CAP** Alu-Lite 200 J lightweight aluminium
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®



**SIZE** from 35 to 48



CODE :  
**IAIA121**

## CINDER ESD S3S SC CI LG FO SR

- UPPER** PUTEK® PLUS
- TOE-CAP** Alu-Lite 200 J lightweight aluminium
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®



**SIZE** from 35 to 48



CODE :  
**IAIA132**

## GLYCINE S2 FO SR

- UPPER** Water-repellent Wat-Out microfibre
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** N/A
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®



**SIZE** from 35 to 48



CODE :  
**IAIA111**



## JASMINE S2 FO SR

- UPPER** Water-repellent Wat-Out microfibre
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** N/A
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®



**SIZE** from 35 to 48



CODE :  
**IAIA211**

## KOSMO S2 FO SR

- UPPER** Water-repellent Wat-Out microfibre
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** N/A
- SOLE** VIGOREX PU/PU with Infinergy® insert from BASF®



**SIZE** from 35 to 46



CODE :  
**IAIA212**



## 2. FLIGHT

The pursuit of lightness in a safety shoe finally has a name: FLIGHT!

Packed with technology for a featherweight, we offer THE solution for anyone who wants a light, stylish trainer for work while ensuring they stay safe.



**Comes with laces in 2 colours.**

Black laces for a plain look, in colour for a colourful look or mixed for a quirky look!



## PELICAN ESD S3S CI FO SR

**NEW**

<b>UPPER</b>	PUTEK® STAR Light
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft Light
<b>MIDSOLE</b>	Flex-System Zero Light
<b>SOLE</b>	PU/PU Light density from BASF®

**SIZE** from 35 to 48



CODE :  
**AVAV101**

## IBIS ESD S3S CI FO SR

**NEW**

<b>UPPER</b>	PUTEK® STAR Light
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft Light
<b>MIDSOLE</b>	Flex-System Zero Light
<b>SOLE</b>	PU/PU Light density from BASF®

**SIZE** from 35 to 48



CODE :  
**AVAV201**

## ALBATROS ESD S3S CI FO SR

**NEW**

<b>UPPER</b>	Light microfibre, matt finish
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft Light
<b>MIDSOLE</b>	Flex-System Zero Light
<b>SOLE</b>	PU/PU Light density from BASF®

**SIZE** from 35 to 48



CODE :  
**AVAV102**

## EAGLE ESD S3S CI FO SR

**NEW**

<b>UPPER</b>	Light microfibre, matt finish
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft Light
<b>MIDSOLE</b>	Flex-System Zero Light
<b>SOLE</b>	PU/PU Light density from BASF®

**SIZE** from 35 to 48



CODE :  
**AVAV202**

## WADER ESD S1PS CI FO SR ●

<b>UPPER</b>	Breathable, ultra-light fabric
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft Light
<b>MIDSOLE</b>	Flex-System Zero Light
<b>SOLE</b>	PU/PU Light density from BASF®

**SIZE** from 35 to 48



CODE :  
**AVAV203**

● Discontinued item

## HERON ESD S1PS CI FO SR

**NEW**

<b>UPPER</b>	Breathable, ultra-light fabric
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft Light
<b>MIDSOLE</b>	Flex-System Zero Light
<b>SOLE</b>	PU/PU Light density from BASF®

**SIZE** from 35 to 48



CODE :  
**AVAV204**



### 3. RETURN

A collection of safety shoes designed with BASF® High Rebound technology which guarantees an energy return of over 40% when the foot is pushing and requires support.



**PUTEK® PLUS TECHNOLOGY** uses new threads that are highly resistant to abrasion, directly woven into the fabric, for greater durability and increased performance.

These highly resistant and water-repellent fabrics help create ultra-lightweight and extra-breathable S3 products.

\*Tests according to standard EN ISO20344:11 show that the breathability is 4 times the minimum required for a safety shoe



## ZIRCON ESD S3S CI FO SR

UPPER	PU TEK® PLUS
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 38 to 48



CODE:  
ARAR809

## AVANGARD ESD S3S CI FO SR

UPPER	PU TEK® PLUS
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 35 to 48



CODE:  
ARAR409

## DISC ESD S3S CI FO SR

UPPER	Water-repellent and flexible nubuck leather
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 35 to 48



CODE:  
ARAR410

## WAT-OUT

Breathable and non-allergenic microfiber, finished with a gel coating enabling a specific stain and wash resistance.

## GIL ESD S3S CI FO SR

UPPER	Water-repellent Wat-Out microfiber
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 35 to 48



CODE:  
ARAR813

## RORY ESD S3S CI FO SR

UPPER	Water-repellent Wat-Out microfiber
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 35 to 48



CODE:  
ARAR413

## CLASH ESD S1PS FO SR

UPPER	Soft suede leather and ULTRA-breathable mesh
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 35 to 48



CODE :  
**ARAR403**

## BLOCK ESD S1PS FO SR

UPPER	Soft suede leather and ULTRA-breathable mesh
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 38 to 48



CODE :  
**ARAR406**



## KARINA ESD S1P CI SRC ●

UPPER	Perforated soft suede leather
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 35 to 42



CODE :  
**ARAR402**

● Discontinued item

## LEGACY ESD S1P SRC ●

UPPER	Perforated soft suede leather
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	PU/PU High Rebound in Elastopan® from BASF®

SIZE from 35 to 48



CODE :  
**ARAR405**

● Discontinued item





## 4. FACTORY

FACTORY is a collection developed to combat fatigue and physical strain in workers in all industry jobs: automotive, aeronautical, mechanical, logistics, pharmaceutical, chemical and agri-food.

**Maxi**  
**SOFT**  
Duo

The technology of the Maxi-Soft Duo offset insole helps improve body weight distribution by reducing pressure points. This solution reduces the risk of MSDs for jobs with prolonged standing.



## BREAKER ESD S3S CI FO SR

**NEW**

UPPER	Water-repellent full-grain leather, grained look
TOE-CAP	Light Plus composite 200 J
FOOTBED	Maxi-Soft Duo
MIDSOLE	Flex-System Zero
SOLE	PU/PU



SIZE from 35 to 48



CODE :  
**AFAF102**

## ENGINE ESD S3S CI FO SR

**NEW**

UPPER	Water-repellent full-grain leather, grained look
TOE-CAP	Light Plus composite 200 J
FOOTBED	Maxi-Soft Duo
MIDSOLE	Flex-System Zero
SOLE	PU/PU



SIZE from 35 to 48



CODE :  
**AFAF202**

## CRUSH ESD S3S CI FO SR

**NEW**

UPPER	Water-repellent and flexible nubuck leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Maxi-Soft Duo
MIDSOLE	Flex-System Zero
SOLE	PU/PU



SIZE from 35 to 48



CODE :  
**AFAF101**

## CHECK ESD S3S CI FO SR

**NEW**

UPPER	Water-repellent and flexible nubuck leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Maxi-Soft Duo
MIDSOLE	Flex-System Zero
SOLE	PU/PU



SIZE from 35 to 48



CODE :  
**AFAF201**

## PLUG ESD S3S CI FO SR

**NEW**

UPPER	PU TEK® STAR
TOE-CAP	Light Plus composite 200 J
FOOTBED	Maxi-Soft Duo
MIDSOLE	Flex-System Zero
SOLE	PU/PU



SIZE from 35 to 48



CODE :  
**AFAF204**

## FLOUR ESD S2 FO SR

**NEW**

UPPER	Water-repellent Wat-Out microfibre
TOE-CAP	Light Plus composite 200 J
FOOTBED	Maxi-Soft Duo
MIDSOLE	N/A
SOLE	PU/PU



SIZE from 35 to 48



CODE :  
**AFAF205**

## CONNECTOR ESD S1PS CI FO SR

**NEW**

<b>UPPER</b>	Soft suede leather and ULTRA-breathable mesh
<b>TOE-CAP</b>	Light Plus composite 200 J
<b>FOOTBED</b>	Maxi-Soft Duo
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	PU/PU



**SIZE** from 35 to 48



CODE :  
**AFAF103**

## ADAPTOR ESD S1PS CI FO SR

**NEW**

<b>UPPER</b>	Soft suede leather and ULTRA-breathable mesh
<b>TOE-CAP</b>	Light Plus composite 200 J
<b>FOOTBED</b>	Maxi-Soft Duo
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	PU/PU



**SIZE** from 35 to 48



CODE :  
**AFAF203**







## 5. DIAMONT

A range of good-looking, effective products adapted to the needs of the modern world.



BOA® Fit System is a quick, easy and precise lace-free fastening system. It prevents the risk of falling and laces coming untied.



## AVANGER S3S CI FO SR

UPPER	PUTEK® PLUS
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 35 to 47



CODE :  
**DM10184**

## HAVOC S3S CI FO SR

UPPER	PUTEK® PLUS
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 35 to 47



CODE :  
**DM20184**

## LIBERATOR NEW S3S CI FO SR ●

UPPER	Water-repellent full-grain leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 35 to 47



CODE :  
**007NT24**  
● Discontinued item

## SKYMASTER NEW S3S CI FO SR ●

UPPER	Water-repellent full-grain leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 35 to 47



CODE :  
**007NT16**  
● Discontinued item

## THUNDERBOLT S3S CI FO SR

UPPER	Water-repellent and flexible nubuck leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 38 to 47



CODE :  
**DM10164**

## SHRIKE S3S CI FO SR

UPPER	Water-repellent and flexible nubuck leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 38 to 47



CODE :  
**DM20164**

## WILDCAT S3S CI FO SR

UPPER	Water-repellent and flexible nubuck leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 38 to 47



CODE :  
**DM10174**

## TYPHOON S3 CI SRC ●

UPPER	Water-repellent and flexible nubuck leather
TOE-CAP	Alu-Lite 200 J lightweight aluminium
FOOTBED	Soft + Gel
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 35 to 48



CODE :  
**DM20064**

● Discontinued item

## AF-TWO NEW S1PS CI FO SR ●

UPPER	Velour leather and Air-Texplus inserts
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 35 to 47



CODE :  
**007NT15**

● Discontinued item

## BLACK NEW S1PS CI FO SR

UPPER	Velour leather and Air-Texplus inserts
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 35 to 47



CODE :  
**007NT68**

## CORSAIR S1PS FO SR

UPPER	Flexible velour with Air-Net inserts
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 35 to 47



CODE :  
**DM20116**

## INVADER S1PS FO SR ●

UPPER	Perforated soft suede leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	DIAMONT PU/PU from BASF®



SIZE from 38 to 47



CODE :  
**DM20136**

● Discontinued item





## 6. 24 BIT

A special mix of polyurethane and the cross groove structure of the outsole guarantee excellent grip on all types of surfaces, with outstanding results in slip resistance tests.

### SLIP RESISTANCE

**98GRIP**

<b>SRC</b> (SRA + SRB)		<b>24 BIT</b> Values	<b>STANDARDS</b> Values
<b>SRA</b> TEST FLOOR Ceramics	FLAT	<b>0,98</b>	≥ 0,32
<b>LUBRICANT</b> Water + Detergent	HEEL 7 degree tilt	<b>0,74</b>	≥ 0,28
<b>SRB</b> TEST FLOOR Steel	FLAT	<b>0,40</b>	≥ 0,18
<b>LUBRICANT</b> Glycerin	HEEL 7 degree tilt	<b>0,35</b>	≥ 0,13

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



## KANYE ESD S3S FO SR

<b>UPPER</b>	Water-repellent and flexible pull-up leather
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	98 GRIP PU/PU



**SIZE** from 35 to 48



CODE :  
**00ABI04**

## CALVIN ESD S3S FO SR

<b>UPPER</b>	Water-repellent and flexible pull-up leather
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	98 GRIP PU/PU



**SIZE** from 35 to 48



CODE :  
**00ABI06**

## ROKY ESD S3 SRC ●

<b>UPPER</b>	Water-repellent and flexible pull-up leather
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	98 GRIP PU/PU



**SIZE** from 35 to 48



CODE :  
**00ABI26**  
● Discontinued item

## BIGGIE S3 SRC ●

<b>UPPER</b>	Water-repellent and flexible pull-up leather
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	98 GRIP PU/PU



**SIZE** from 38 to 47



CODE :  
**00ABI03**  
● Discontinued item

# ALULITE®



Lightweight, non-magnetic 200j aluminum tip.

As strong as steel, yet 51% lighter.

A sensation of lightness for greater everyday comfort !



## TUPAC S1PS FO SR

<b>UPPER</b>	Flexible velour leather with breathable ULTRA mesh inserts
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	98 GRIP PU/PU

**SIZE** from 35 to 47



CODE :  
**00ABI09**

## DRAKE S1PS FO SR

<b>UPPER</b>	Flexible velour leather with breathable DURABREATH inserts
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	98 GRIP PU/PU

**SIZE** from 38 to 47



CODE :  
**00ABI02**

## ERIK ESD S1P SRC ●

<b>UPPER</b>	Flexible velour leather with breathable DURABREATH inserts
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	98 GRIP PU/PU

**SIZE** from 35 to 48



CODE :  
**00ABI27**

● Discontinued item

## ICE Q S1PS FO SR ●

<b>UPPER</b>	Perforated flexible velour
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	98 GRIP PU/PU

**SIZE** from 35 to 48



CODE :  
**00ABI10**

● Discontinued item

## MILK S2 FO SR

<b>UPPER</b>	Water-repellent Wat-Out microfibre
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	N/A
<b>SOLE</b>	98 GRIP PU/PU

**SIZE** from 35 to 47



CODE :  
**00ABI21**

## CREAM S2 FO SR

<b>UPPER</b>	Water-repellent Wat-Out microfibre
<b>TOE-CAP</b>	Alu-Lite 200 J lightweight aluminium
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	N/A
<b>SOLE</b>	98 GRIP PU/PU

**SIZE** from 35 to 48



CODE :  
**00ABI24**



## 98GRIP

Thanks to its special mix of polyurethane and its cross groove structure, the 98GRIP sole of the 24BIT collection guarantees RECORD-BREAKING grip on all types of surfaces.

It is the perfect non-slip solution for jobs in logistics, fittings and finishings (plumbers, heating engineers, etc), agri-food, chemicals and pharmaceuticals.



## 7. TRAIL

The water resistance of its special leather for construction and public works and its specific OUTDOOR spikes make the TRAIL collection particularly suitable for anyone who works outdoors or on building sites.

Special  
Construction

The leather has excellent waterproofing, with no water getting through after 7h of tests.



## TILL ESD S3S CI LG FO SR

**NEW**

- UPPER** Water-repellent pull-up leather
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** PU/PU Outdoor

**SIZE** from 35 to 48



## BRICK ESD S3S CI LG FO SR

**NEW**

- UPPER** Water-repellent pull-up leather
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** PU/PU Outdoor

**SIZE** from 35 to 48



## SCOTLAND EVOL ESD S3S CI LG FO SR

**NEW**

- UPPER** Water-repellent pull-up leather
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** PU/PU Outdoor

**SIZE** from 38 to 47



### TRAIL "All-terrain" sole

The composition of this OUTDOOR double-density polyurethane is designed to get the perfect balance between comfort, lightness and durability.

The comfort layer, with the right density, guarantees flexibility and excellent cushioning from vibrations and impact on the heel, while the outsole offers very good resistance to abrasion, hydrocarbons, oils and fats.

## SAND ESD S3S CI LG FO SR

**NEW**

- UPPER** Water-repellent pull-up leather
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** PU/PU Outdoor

**SIZE** from 38 to 47



## GRAVEL ESD S3S CI LG FO SR

**NEW**

- UPPER** Water-repellent pull-up leather
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** PU/PU Outdoor

**SIZE** from 38 to 47



## HAMMER ESD S3S CI LG FO SR

**NEW**

<b>UPPER</b>	Water-repellent full-grain leather
<b>TOE-CAP</b>	Light Plus composite 200 J
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	PU/PU Outdoor

**SIZE** from 38 to 47



CODE :  
**007TR14**



## DRILL ESD S3S CI LG FO SR

**NEW**

<b>UPPER</b>	Water-repellent full-grain leather
<b>TOE-CAP</b>	Light Plus composite 200 J
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	PU/PU Outdoor

**SIZE** from 35 to 48



CODE :  
**007TR12**



## BOLT ESD S3S CI LG FO SR

**NEW**

<b>UPPER</b>	Water-repellent full-grain leather
<b>TOE-CAP</b>	Light Plus composite 200 J
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	PU/PU Outdoor

**SIZE** from 38 to 47



CODE :  
**007TR13**



## OCTANE ESD S3S CI LG FO SR

**NEW**

<b>UPPER</b>	Water-repellent full-grain leather
<b>TOE-CAP</b>	Light Plus composite 200 J
<b>FOOTBED</b>	Soft
<b>MIDSOLE</b>	Flex-System Zero
<b>SOLE</b>	PU/PU Outdoor

**SIZE** from 35 to 48



SPECIFIC FOR  
PETROCHEMICALS



CODE :  
**007TR11**



SPECIFIC FOR  
PETROCHEMICALS

The special assembly of its upper prevents fluids from getting inside the shoe (hydrocarbons, chemicals, etc).

This type of safety shoe is particularly suitable for chemical and petrochemical jobs.






## 8. SPECIALS

This line is designed with specific protection for all users who work in high-risk situations. It provides a safe, tailored response to extreme and difficult conditions.



1. Designed to be used in a wide range of safety and working environments
2. Offers a high level of grip and durability
3. Excellent resistance to heat and tears

The secret behind the performance of Vibram® lies in the optimum combination of an **incredibly functional DESIGN** for the soles and the use of **exclusive RUBBER COMPOUNDS**.



## FORERUNNER S3S CI HI HRO FO SR

- UPPER** Water-repellent full-grain leather
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** Contact heat resistant up to 300°C



**SIZE** from 38 to 47

**3M**  
**Thinsulate**  
INSULATION

CODE :  
**007TR02**

## CETANE S3S CI HI HRO FO SR

- UPPER** Water-repellent full-grain leather
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** Flex-System Zero
- SOLE** Contact heat resistant up to 300°C



**SIZE** from 38 to 47



SPECIFIC FOR  
PETROCHEMICALS

CODE :  
**007TR21**

## PHEBUS S3 CI HI HRO LG FO SR

- UPPER** Water-repellent grained leather
- TOE-CAP** Light Plus composite 200 J
- FOOTBED** Soft
- MIDSOLE** Classic Steel
- SOLE** Contact heat resistant up to 300°C



**SIZE** from 38 to 47

CODE :  
**0005934**



SPECIFIC FOR  
PETROCHEMICALS

The special assembly of its upper prevents fluids from getting inside the shoe (hydrocarbons, chemicals, etc).

This type of safety shoe is particularly suitable for chemical and petrochemical jobs.





## 9. DOMINUS

A collection with a modern, innovative design, "METAL FREE".

### SLIP RESISTANCE

SRC (SRA + SRB)		DOMINUS Values	STANDARDS Values
<b>SRA</b> TEST FLOOR Ceramics	FLAT	<b>0,49</b>	≥ 0,32
	HEEL 7 degree tilt	<b>0,35</b>	≥ 0,28
<b>SRB</b> TEST FLOOR Steel	FLAT	<b>0,26</b>	≥ 0,18
	HEEL 7 degree tilt	<b>0,18</b>	≥ 0,13

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



## EGIS S3S CI FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Dominus PU/PU W-Tech



SIZE from 36 to 47



CODE :  
**007AX66**

## ARTIS S3S CI FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Dominus PU/PU W-Tech



SIZE from 36 to 47



CODE :  
**007AX70**

## FORTIS S3S FO SR

UPPER	Water-repellent grained leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Dominus PU/PU W-Tech



SIZE from 36 to 47



CODE :  
**007AX33**

## ROBORIS S3S FO SR

UPPER	Water-repellent grained leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Dominus PU/PU W-Tech



SIZE from 36 to 47



CODE :  
**007AX13**

## MIRUS S3S FO SR

UPPER	Water-repellent grained leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Dominus PU/PU W-Tech



SIZE from 38 to 47

CODE :  
**007AX67**

## ARX S1PS FO SR

UPPER	Flexible velour leather and FRESH fabric
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Dominus PU/PU W-Tech



SIZE from 36 to 47



CODE :  
**007AX46**



## 10. SUPREME

Double-density polyurethane sole with an outsole designed for maximum stability equally in demanding conditions and outdoors, as well as maximum grip and comfort.

### SLIP RESISTANCE

SRC (SRA + SRB)		SUPREME Values	STANDARDS Values
<b>SRA</b> TEST FLOOR Ceramics LUBRICANT Water + Detergent	FLAT	<b>0,42</b>	≥ 0,32
	HEEL 7 degree tilt	<b>0,30</b>	≥ 0,28
<b>SRB</b> TEST FLOOR Steel LUBRICANT Glycerin	FLAT	<b>0,27</b>	≥ 0,18
	HEEL 7 degree tilt	<b>0,20</b>	≥ 0,13

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



## THOR RS S3S SC FO LG SR

UPPER	Water-repellent grained leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Craft



SIZE from 38 to 47

Quick release hook



metal FREE



CODE :  
**007SP01**

## VIKING RS S3 SRC ●

UPPER	Water-repellent grained leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Craft



SIZE from 38 to 48

Quick release hook



metal FREE



CODE :  
**007SP08**  
● Discontinued item

## ARCO NEW S1PS LG FO SR

UPPER	Perforated flexible velour
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	Craft



SIZE from 35 to 47

CODE :  
**0054610**

## ARCO ESD S1 LG FO SR

UPPER	Perforated flexible velour
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	N/A
SOLE	Craft



SIZE from 35 to 47



CODE :  
**0054619**

metal  
FREE

No metallic materials in the collection's models.

Particularly suitable for environments where metal detectors are present.



These models are DGUV 112-191-certified, which means they can be substituted for the supplied liner by a SECOSOL® orthopedic liner.

## INOX S3 SC LG FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Classic Steel
SOLE	Craft



SIZE from 38 to 48

Special  
Construction

CODE :  
**007SP06**

## LOTAR S3S SC LG FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Craft



SIZE from 38 to 47

Special  
Construction

CODE :  
**007SP03**

## ODER S3S SC LG FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Craft



SIZE from 38 to 47

Special  
Construction

metal  
FREE

CODE :  
**007SP05**

## SHERPA S3S SC CI LG FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Light Plus composite 200 J
FOOTBED	Soft
MIDSOLE	Flex-System Zero
SOLE	Craft



SIZE from 38 to 47

Special  
Construction

metal  
FREE

CODE :  
**007SP10**

Special  
Construction

The leather has excellent waterproofing, with no water getting through after 7h of tests.







## 11. GRIPPER WHITE

A collection designed to best meet the hygiene, cleanliness and safety conditions in agri-food and pharmaceutical sectors, GRIPPER WHITE offers excellent non-slip grip with comfort and lightness.

### SLIP RESISTANCE

SRC (SRA + SRB)		GRIPPER Values	STANDARDS Values
<b>SRA</b> TEST FLOOR Ceramics	FLAT	<b>0,61</b>	≥ 0,32
	HEEL 7 degree tilt	<b>0,43</b>	≥ 0,28
LUBRICANT Water + Detergent			
<b>SRB</b> TEST FLOOR Steel	FLAT	<b>0,29</b>	≥ 0,18
	HEEL 7 degree tilt	<b>0,15</b>	≥ 0,13
LUBRICANT Glycerin			

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



## CALYPSO S2 FO SR

UPPER	Water-repellent Wat-Out microfibre
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	N/A
SOLE	Gripper White PU/PU

SIZE from 35 to 47



metal  
FREE



CODE :  
**007GR00**

## DAHLIA S2 FO SR

UPPER	Water-repellent Wat-Out microfibre
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	N/A
SOLE	Gripper White PU/PU

SIZE from 35 to 47



metal  
FREE



CODE :  
**007GR03**

## ASTER S2 FO SR

UPPER	Water-repellent Wat-Out microfibre
TOE-CAP	Light Plus composite 200 J
FOOTBED	VENTO Plus
MIDSOLE	N/A
SOLE	Gripper White PU/PU

SIZE from 35 to 47



metal  
FREE



CODE :  
**007GR06**

# WAT-OUT

Breathable and non-allergenic microfiber, finished with a gel coating enabling a specific stain and wash resistance.





## 12. DYNAMIC

This collection combines the toughness of steel with the latest criteria in comfort and design. Among its classic and hybrid solutions, you will find a wide range of dynamic products both in their spirit and looks.

### SLIP RESISTANCE

SRC (SRA + SRB)		DYNAMIC Values	STANDARDS Values
<b>SRA</b> TEST FLOOR Ceramics	FLAT	<b>0,40</b>	≥ 0,32
	HEEL 7 degree tilt	<b>0,36</b>	≥ 0,28
<b>SRB</b> TEST FLOOR Steel	FLAT	<b>0,19</b>	≥ 0,18
	HEEL 7 degree tilt	<b>0,14</b>	≥ 0,13

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012



## VIPER RS S3 SRC ●

UPPER	Water-repellent grained leather
TOE-CAP	Classic Steel
FOOTBED	VENTO Plus
MIDSOLE	Classic Steel
SOLE	Classic PU/PU



SIZE from 38 to 47

Quick release hook



CODE :  
**00DYC09**

● Discontinued item

## RAVEN S1P SRC ●

UPPER	Velour leather with Fresh inserts
TOE-CAP	Classic Steel
FOOTBED	VENTO Plus
MIDSOLE	Classic Steel
SOLE	Classic PU/PU



SIZE from 38 to 47

CODE :  
**00DYC03**

● Discontinued item

## MANTIS S1P SRC ●

UPPER	Velour leather with Fresh inserts
TOE-CAP	Classic Steel
FOOTBED	VENTO Plus
MIDSOLE	Flex-System Zero
SOLE	Classic PU/PU



SIZE from 36 to 48

CODE :  
**00DYC18**

● Discontinued item

## YARD S3 FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Classic Steel
FOOTBED	VENTO Plus
MIDSOLE	Classic Steel
SOLE	Classic PU/PU



SIZE from 36 to 48

Special Construction

CODE :  
**00DYC26**

## QUANTUM S3 FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Classic Steel
FOOTBED	VENTO Plus
MIDSOLE	Classic Steel
SOLE	Classic PU/PU



SIZE from 38 to 48

Special Construction

CODE :  
**00DYC24**

## WOOL S3 CI FO SR

UPPER	Water-repellent pull-up leather
TOE-CAP	Classic Steel
FOOTBED	VENTO Plus
MIDSOLE	Classic Steel
SOLE	Classic PU/PU



SIZE from 38 to 48



Special Construction

CODE :  
**00DYC25**



## 13. **ESSENTIAL**

With this collection, Aimont wanted to create a solid, reliable and safe shoe with a classic style and the perfect balance between quality and price.



## TORINO S3 FO SR

<b>UPPER</b>	Water-repellent grained leather
<b>TOE-CAP</b>	Classic Steel
<b>FOOTBED</b>	VENTO Plus
<b>MIDSOLE</b>	Classic Steel
<b>SOLE</b>	Classic PU/PU

**SIZE** from 38 to 47



CODE :  
**EC72104**

## NAPOLI S3 FO SR

<b>UPPER</b>	Water-repellent grained leather
<b>TOE-CAP</b>	Classic Steel
<b>FOOTBED</b>	VENTO Plus
<b>MIDSOLE</b>	Classic Steel
<b>SOLE</b>	Classic PU/PU

**SIZE** from 35 to 48



CODE :  
**EC72503**

## PANSY S2 FO SR

<b>UPPER</b>	Water-repellent Wat-Out microfibre
<b>TOE-CAP</b>	Classic Steel
<b>FOOTBED</b>	VENTO Plus
<b>MIDSOLE</b>	N/A
<b>SOLE</b>	Classic PU/PU

**SIZE** from 35 to 47



CODE :  
**0056167**

## DAISY S1 FO SR

<b>UPPER</b>	Microfibre
<b>TOE-CAP</b>	Classic Steel
<b>FOOTBED</b>	VENTO Plus
<b>MIDSOLE</b>	N/A
<b>SOLE</b>	Classic PU/PU

**SIZE** from 35 to 47



CODE :  
**0089177**

STAY IN MIDYARDS



Despite a revision of EN ISO 20345 in 2022, EN ISO 20345:2011 is still valid for all new certifications until November 11, 2024.

Therefore, all certificates issued up to this date will be valid for 5 years, i.e. until November 11, 2029.

During this transition period, the two versions of the standards will coexist.

In our next 2024 catalog, we'll be unveiling all aspects of these new standards requirements, the new CE markings and their impact on the technological and safety choices of our collections.

## SAFETY CATEGORIES AND SYMBOLS USED (EN ISO 20345:2011)

### SB

Safety BASIC

### S1/01

Safety BASIC adding:

- closed back (also low shoes)
- antistatic
- heel area energy absorption
- slip resistance EN ISO 20345:2011 according to the EN 13287:2012

### S2/02

Safety BASIC + S1 adding:

- water resistant upper material
- slip resistance EN ISO 20345:2011 according to the EN 13287:2012

### S3/03

Safety BASIC + S2/02 adding:

- pierce resistant midsole
- sole with dowels or tread
- "slip resistance EN ISO 20345:2011 according to the EN 13287:2012"

### 4/04

Safety BASIC adding:

- antistatic
- energy absorption capacity at the heel
- walking sole surface resistant to Hydrocarbons
- slip resistance EN ISO 20345:2011 according to the EN 13287:2012

### S5

Safety S4 adding:

- pierce resistant midsole
- sole with dowels or tread
- slip resistance EN ISO 20345:2011 according to the EN 13287:2012v méthode EN 13287:2012

CLASS PROTECTION SYMBOL	EN ISO 20345:2011				EN ISO 20347:2012				EN ISO 20345:2011		EN ISO 20347:2012		Requirement of EN ISO 20345:2011 + EN ISO 20347:2012
	SB	S1	S2	S3	0B	01	02	03	S4	S5	04	05	
Closed back	●	■	■	■	●	■	■	■	■	■	■	■	
Resistant toe cap with 200J	■	■	■	■	-	-	-	-	■	■	-	-	
<b>A</b> Antistatic footwear	●	■	■	■	●	■	■	■	■	■	■	■	Between 1x105 Ω and 1x109 Ω
<b>E</b> Heel area energy absorption	●	■	■	■	●	■	■	■	■	■	■	■	Mechanical risk: reduction of heel trauma resulting from impacts or falls of limited height. mechanical energy ≥ 20 joules
<b>FO</b> Walking sole surface resistant to hydrocarbons	●	■	■	■	●	●	●	●	■	■	●	●	Always present by EN ISO 20345:2011 and by EN ISO 20346:2011 but to be specified when required by EN ISO 20347:2012
<b>WRU</b> Water resistant upper material	●	-	■	■	●	●	■	■	-	-	-	-	> 60 mins - Absorbance ≤ 30% H2O after 60 mins ≤ 0,2 gr"
<b>P</b> Pierce resistant midsole	●	●	●	■	●	●	●	■	●	■	●	■	≥ 1100 N.
<b>CI</b> Thermal cold insulation of the sole	●	●	●	●	●	●	●	●	●	●	●	●	By temperature ≤ 10 °C.
<b>HI</b> Thermal heat insulation of the sole	●	●	●	●	●	●	●	●	●	●	●	●	By temperature ≥ 22 °C.
<b>C</b> Conductive footwear	●	●	●	●	●	●	●	●	-	-	-	-	< 1x10 <sup>5</sup> OHM
<b>HRO</b> Walking sole surface heat resistance to temperature on contact	●	●	●	●	●	●	●	●	-	-	-	-	Contact at 300°C for 60 secs no melting
<b>AN</b> Ankle protection	●	●	●	●	●	●	●	●	-	-	-	-	Mechanical risk, ankle protection: average value of transmitted force ≥ 10 kN maximum value < 15 kN
<b>WR</b> Water resistant shoes	●	●	●	●	●	●	●	●	-	-	-	-	After 1000 steps or after 80' of automatic dynamic cycling, there should be no more than 3 cm <sup>2</sup> of water (stain)
<b>M</b> Shoe with metatarsal protection	●	●	●	●	-	-	-	-	●	●	-	-	Mechanical risk, metatarsal protection: falling objects, foot bumps. Height after impact ≥ 40 mm (size 42)
<b>CR</b> Cut resistant upper	●	●	●	●	●	●	●	●	●	●	●	●	I factor > 2,5
<b>SRC</b> (SRA+SRB) Anti slip requirement	■	■	■	■	■	■	■	■	■	■			
<b>RS</b> Quick release system													

- Mandatory requirement for the indicated category.
- Discretionary requirement added to the mandatory ones, if reported on markings.
- Non-mandatory requirement.
- FO** Resistance of the sole to hydrocarbons it is a mandatory requirement for all safety footwear. For the EN ISO 20347:2012 it shall always be indicated on markings.

## SLIP RESISTANCE SRC (SRA+SRB)

**SRA**  
Test floor  
CERAMICS  
Lubricant  
WATER + DETERGENT

Flat  
≥ 0,32  
Heel  
≥ 0,28



**SRB**  
Test floor  
STEEL  
Lubricant  
GLYCERIN

Flat  
≥ 0,18  
Heel  
≥ 0,13

SLIP RESISTANCE REQUIREMENTS ACCORDING TO THE EN ISO 20345:2011 METHOD REQUESTED BY EN 13287:2012

The size of the shoe is marked underneath the sole. On the tongue or in the specific label are indicated:

- name of manufacturer
- product code
- month and year of manufacture
- CE compliant markings

This catalogue supersedes all previous. The data and information given in this price list are subject to change without notice. The photographic reproduction of colour tones may not be perfectly faithful to reality.

ADAPTOR	ESD S1PS CI FO SR	AFAF203	24	ICE Q	S1PS FO SR	00ABI10	32
AF-TWO NEW	S1PS CI FO SR	007NT15	28	INOX	S3 SC LG FO SR	007SP06	44
ALBATROS	ESD S3S CI FO SR	AVAV102	17	INVADER	S1PS FO SR	DM20136	28
AMY	ESD S1PS FO SR	IAIA214	14	IRIDIUM	S1P SRC	IAIA206	14
ARCO	ESD S1 LG FO SR	0054619	43	JASMINE	S2 FO SR	IAIA211	15
ARCO NEW	S1PS LG FO SR	0054610	43	KANYE	ESD S3S FO SR	00ABI04	31
ARGON	ESD S1PS FO SR	IAIA202	14	KARINA	ESD S1P SRC	ARAR402	20
ARTIS	S3S FO CI SR	007AX70	41	KOSMO	S2 FO SR	IAIA212	15
ARX	S1PS FO SR	007AX46	41	LEGACY	ESD S1P CI SRC	ARAR405	20
ASTER	S2 FO SR	007GR06	47	LIBERATOR NEW	S3S CI FO SR	007NT24	27
AVANGARD	ESD S3S CI FO SR	ARAR409	19	LOTAR	S3S SC LG FO SR	007SP03	44
AVANGER	S3S CI FO SR	DM10184	27	MANTIS	S1P SRC	00DYC18	49
BIGGIE	S3 SRC	00ABI03	31	MILK	S2 FO SR	00ABI21	32
BLACK NEW	S1PS CI FO SR	007NT68	28	MIRUS	S3S FO SR	007AX67	41
BLAZE	ESD S3S CI FO SR	IAIA120	13	NAPOLI	S3 SRC	0072503	51
BLOCK	ESD S1PS FO SR	ARAR406	20	OCTANE	ESD S3S CI LG FO SR	007TR11	36
BOLT	ESD S3S CI LG FO SR	007TR13	36	ODER	S3S SC LG FO SRC	007SP05	44
BREAKER	ESD S3S CI FO SR	AFAF102	23	OXYGEN	ESD S1PS FO SR	IAIA203	14
BRICK	ESD S3S CI LG FO SR	007TR15	35	PANSY	S2 FO SR	0056167	51
CALVIN	ESD S3S FO SR	00ABI06	31	PELICAN	ESD S3S CI FO SR	AVAV101	17
CALYPSO	S2 FO SR	007GR00	47	PHEBUS	S3 CI HI HRO LG FO SR	0005934	39
CETANE	S3S CI HI HRO FO SR	007TR21	39	PLUG	ESD S3S CI FO SR	AFAF204	23
CHECK	ESD S3S CI FO SR	AFAF201	23	QUANTUM	S3 FO SR	00DYC24	49
CINDER	ESD S3S SC CI LG FO SR	IAIA132	15	RAVEN	S1P SRC	00DYC03	49
CLASH	ESD S1PS FO SR	ARAR403	20	ROBORIS	S3S FO SR	007AX13	41
COBALT	ESD S3S CI FO SR	IAIA101	13	ROKY	ESD S3 SRC	00ABI26	31
CONNECTOR	ESD S1PS CI FO SR	AFAF103	24	RORY	ESD S3S CI FO SR	ARAR413	19
CORSAIR	S1PS FO SR	DM20116	28	SAND	ESD S3S CI LG FO SR	007TR17	35
CREAM	S2 FO SR	00ABI24	32	SCOTLAND EVOL	ESD S3S CI LG FO SR	007TR19	35
CRUSH	ESD S3S CI FO SR	AFAF101	23	SHERPA	S3S SC CI LG FO SR	007SP10	44
DAHLIA	S2 FO SR	007GR03	47	SHRIKE	S3S CI FO SR	DM20164	27
DAISY	S1 FO SR	0089177	51	SKYMASTER NEW	S3S CI FO SR	007NT16	27
DISC	ESD S3S CI FO SR	ARAR410	19	TEUTON	ESD S3S CI FO SR	IAIA209	13
DRAKE	S1PS FO SR	00ABI02	32	THOR RS	S3S SC FO LG SR	007SP01	43
DRILL	ESD S3S CI LG FO SR	007TR12	36	THUNDERBOLT	S3S CI FO SR	DM10164	27
EAGLE	ESD S3S CI FO SR	AVAV202	17	TILL	ESD S3S CI LG FO SR	007TR16	35
EGIS	S3S FO CI SR	007AX66	41	TORINO	S3 SRC	EC72104	55
ENGINE	ESD S3S CI FO SR	AFAF202	23	TUPAC	S1PS FO SR	00ABI09	32
ERIK	ESD S1P SRC	00ABI27	32	TYPHOON	S3 CI SRC	DM20064	28
FLOUR	ESD S2 FO SR	AFAF205	23	ULTRA	ESD S3S CI FO SR	IAIA220	13
FORERUNNER	S3S CI HI HRO FO SR	007TR02	39	VIKING RS	S3 SRC	007SP08	43
FORTIS	S3S FO SR	007AX33	41	VIPER RS	S3 SRC	00DYC09	49
GIL	ESD S3S CI FO SR	ARAR813	19	VULCAN	ESD S1PS FO SR	IAIA218	14
GLYCINE	S2 FO SR	IAIA111	15	WADER	ESD S1PS CI FO SR	AVAV203	17
GRAVEL	ESD S3S CI LG FO SR	007TR18	35	WILDCAT	S3S CI FO SR	DM10174	28
HAMMER	ESD S3S CI LG FO SR	007TR14	36	WOOL	S3 CI FO SR	00DYC25	49
HAVOC	S3S CI FO SR	DM20184	27	YARD	S3 FO SR	00DYC26	49
HERON	ESD S1PS CI FO SR	AVAV204	17	ZINC	ESD S3S SC CI LG FO SR	IAIA121	15
HYDROGEN	ESD S3S CI FO SR	IAIA201	13	ZIRCON	ESD S3S CI FO SR	ARAR809	19
IBIS	ESD S3S CI FO SR	AVAV201	17				



INDEX



## AIMONT

---

JALLATTE SAS - 5 RUE DU FORT  
30170 SAINT HIPPOLYTE DU FORT - FRANCE

Tel. +33 (0)4 66 80 63 00 - Fax +33 (0)4 66 80 63 03

[commercial@aimont.fr](mailto:commercial@aimont.fr)

VIA BORGOMANERO 50  
28040 PARUZZARO | NO | ITALY

Tel. +39 0322 53 94 50 - Fax +39 0322 53 94 51

[info@aimont.com](mailto:info@aimont.com)

---

[www.aimont.com](http://www.aimont.com)

